Notice No.2

Rules and Regulations for the Classification of Ships using Gases or other Low-flashpoint Fuels, July 2021

The status of this Rule set is amended as shown and is now to be read in conjunction with this and prior Notices. Any corrigenda included in the Notice are effective immediately.

Please note that corrigenda amends to paragraphs, Tables and Figures are not shown in their entirety.

Issue date: November 2021

Amendments to	Effective date	IACS/IMO implementation (if applicable)
Part A-1, Section 6	Corrigendum	N/A

Lloyd's Register

Part A-1
6 Fuel Containment System

6.4 Regulations for liquefied gas fuel containment

6.4.15.3.2 Shell thickness

LR 6.4-46 The thickness of pressure parts subject to internal pressure is to be in accordance with Pt 5, Ch 11 of the Rules for Ships except that:

(c) the ~~constant thickness increment (0,75 mm)~~ corrosion allowance (c) included in the formulae in Pt 5, Ch 11,2 of the Rules for Ships may require to be increased in accordance with 6.4.1.7.

© Lloyd's Register Group Limited 2021
Published by Lloyd's Register Group Limited
Registered office (Reg. no. 08126909)
71 Fenchurch Street, London, EC3M 4BS
United Kingdom

Lloyd's Register and variants of it are trading names of Lloyd's Register Group Limited, its subsidiaries and affiliates. For further details please see http://www.lr.org/entities

Lloyd's Register Group Limited, its subsidiaries and affiliates and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.